


<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANTS</b> 	<b>ATTY. DOCKET NO.</b> 11639/1	<b>SERIAL NO.</b> 09/213,834
	<b>APPLICANT(S)</b> Y. Romantchikov	
	<b>FILING DATE</b> December 17, 1998	<b>GROUP</b> 1631










**U. S. PATENT DOCUMENTS**










EXAMINER INITIAL	PATENT NUMBER	PATENT DATE (MM/DD/YY)	NAME	CLASS	SUBCLASS	FILING DATE
















**FOREIGN PATENT DOCUMENTS**

EXAMINER INITIAL	DOCUMENT NUMBER	DATE (MM/DD/YY)	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO

**OTHER DOCUMENTS**

EXAMINER INITIAL	AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
	Aslanidis C, et al. Ligation-independent cloning of PCR products (LIC-PCR). Nucleic Acids Res. 1990 Oct 25;18(20):6069-74.
	Bercovich JA, et al. Effect of DNA concentration on recombinant plasmid recovery after blunt-end ligation. Biotechniques. 1992 Feb;12(2):190, 192-3.
	Boyd AC. Turbo cloning: a fast, efficient method for cloning PCR products and other blunt-ended DNA fragments into plasmids. Nucleic Acids Res. 1993 Feb 25;21(4):817-21
	Damak S, et al. A simple two-step method for efficient blunt-end ligation of DNA fragments. Biotechniques. 1993 Sep;15(3):448-50, 452.
	Mead DA, et al. A universal method for the direct cloning of PCR amplified nucleic acid. Biotechnology (N Y). 1991 Jul;9(7):657-63.
	Nisson PE, et al. Rapid and efficient cloning of Alu-PCR products using uracil DNA glycosylase. PCR Methods Appl. 1991 Nov;1(2):120-3.
	Pecenka V, et al. Simple and efficient method for cloning of large DNA fragments with identical ends into plasmid vectors. Nucleic Acids Res. 1988 May 11;16(9):4179.
	Rashtchian A, et al. Uracil DNA glycosylase-mediated cloning of polymerase chain reaction-amplified DNA: application to genomic and cDNA cloning. Anal Biochem. 1992 Oct;206(1):91-7.
	Revie D, et al. Kinetic analysis for optimization of DNA ligation reactions. Nucleic Acids Res. 1988 Nov 11;16(21):10301-21.

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
		Sekiguchi J, et al. Covalent DNA binding by vaccinia topoisomerase results in unpairing of the thymine base 5' of the scissile bond. J Biol Chem. 1996 Aug 9;271(32):19436-42.
		Sekiguchi J, et al. Identification of contacts between topoisomerase I and its target DNA by site-specific photocrosslinking. EMBO J. 1996 Jul 1;15(13):3448-57
		Sekiguchi J, et al. Vaccinia topoisomerase binds circumferentially to DNA. J Biol Chem. 1994 Dec 16;269(50):31731-4.
		Shuman S. Novel approach to molecular cloning and polynucleotide synthesis using vaccinia DNA topoisomerase. J Biol Chem. 1994 Dec 23;269(51):32678-84.
		Shuman S, et al. Site-specific interaction of vaccinia virus topoisomerase I with base and sugar moieties in duplex DNA. J Biol Chem. 1993 Sep 5;268(25):18943-50.
		Shuman S. Two classes of DNA end-joining reactions catalyzed by vaccinia topoisomerase I. J Biol Chem. 1992 Aug 25;267(24):16755-8.
		Shuman S. Site-specific interaction of vaccinia virus topoisomerase I with duplex DNA. Minimal DNA substrate for strand cleavage in vitro. J Biol Chem. 1991 Jun 15;266(17):11372-9.
		Upcroft P, et al. Rapid and efficient method for cloning of blunt-ended DNA fragments. Gene. 1987;51(1):69-75.
		Aguan K, Kusano T, Suzuki N, Kitagawa Y. An improved method for the construction of high efficiency cDNA library in plasmid or lambda vector. Nucleic Acids Res. 1990 Feb 25;18(4):1071.
		Alexander DC, McKnight TD, Williams BG. A simplified and efficient vector-primer cDNA cloning system. Gene. 1984 Nov;31(1-3):79-89.
		Andersson B, Wentland MA, Ricafrente JY, Liu W, Gibbs RA. A "double adaptor" method for improved shotgun library construction. Anal Biochem. 1996 Apr 5;236(1):107-13.
		Bellemare G, Potvin C, Simard C, Larouche L. Use of a phage vector for rapid synthesis and cloning of single-stranded cDNA. Gene. 1987;52(1):11-9.
		Bellemare G, Potvin C, Bergeron D. High-yield method for directional cDNA library construction. Gene. 1991 Feb 15;98(2):231-5.
		Boel E, Hjorth AL, Moller KB, Moller PH. A short synthetic adaptor as second-strand primer in the construction of cDNA libraries by the vector-primer method. Biotechniques. 1991 Jul;11(1):26, 28.
		Bottger EC. An adaptor strategy to subclone entire cDNA libraries as single insert recombinants. Biotechniques. 1989 Oct;7(9):925-6, 928-9.
		Carninci P, Hayashizaki Y. High-efficiency full-length cDNA cloning. Methods Enzymol. 1999;303:19-44.
		Coleclough C, Erlitz FL. Use of primer-restriction-end adapters in a novel cDNA cloning strategy. Gene. 1985;34(2-3):305-14.

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
		Collins J, Brüning H. Plasmids Useable As Gene-Cloning Vectors In An In Vitro Packaging By Coliphage: Cosmids. Gene. 1978; 4:305-14.
		Edwards et al., Oligodesoxyribonucleotide ligation to single-stranded cDNA: a new tool for cloning 5'ends of mRNAs and for constructing cDNA libraries by in vitro amplification, Nucleic Acids Research, 1991 19(19): 5227-32.
		Gubler U, Hoffman BJ. A simple and very efficient method for generating cDNA libraries. Gene. 1983 Nov;25(2-3):263-9.
		Haun RS, Serventi IM, Moss J. Rapid, reliable ligation-independent cloning of PCR products using modified plasmid vectors. Biotechniques. 1992 Oct;13(4):515-8.
		Haymerle H, Herz J, Bressan GM, Frank R, Stanley KK. Efficient construction of cDNA libraries in plasmid expression vectors using an adaptor strategy. Nucleic Acids Res. 1986 Nov 11;14(21):8615-24.
		Heidecker G, Messing J. Sequence analysis of zein cDNAs obtained by an efficient mRNA cloning method. Nucleic Acids Res. 1983 Jul 25;11(14):4891-906.
		Hu WN, Kopachik W, Band RN. A simple, efficient method to create a cDNA library. Biotechniques. 1992 Dec;13(6):862-4.
		Land H, Grez M, Hauser H, Lindenmaier W, Schutz G. 5'-Terminal sequences of eucaryotic mRNA can be cloned with high efficiency. Nucleic Acids Res. 1981 May 25;9(10):2251-66.
		Lang KM, Spritz RA. Cloning specific complete polyadenylated 3'-terminal cDNA segments. Gene. 1985;33(2):191-6.
		MacGillivray RT, Degen SJ, Chandra T, Woo SL, Davie EW. Cloning and analysis of a cDNA coding for bovine prothrombin. Proc Natl Acad Sci U S A. 1980 Sep;77(9):5153-7.
		Norgard MV, Tocci MJ, Monahan JJ. On the cloning of eukaryotic total poly(A)-RNA populations in Escherichia coli. J Biol Chem. 1980 Aug 25;255(16):7665-72.
		Okayama H, Berg P. High-efficiency cloning of full-length cDNA. Mol Cell Biol. 1982 Feb;2(2):161-70.
		Okayama H, Berg P. Bacteriophage lambda vector for transducing a cDNA clone library into mammalian cells. Mol Cell Biol. 1985 May;5(5):1136-42.
		Oliner JD, Kinzler KW, Vogelstein B. In vivo cloning of PCR products in E. coli. Nucleic Acids Res. 1993 Nov 11;21(22):5192-7.
		Petty IT, Hunter BG, Jackson AO. A novel strategy for one-step cloning of full-length cDNA and its application to the genome of barley stripe mosaic virus. Gene. 1988 Dec 30;74(2):423-32.

EXAMINER INITIAL		AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.
		Pheiffer BH, Zimmerman SB. Polymer-stimulated ligation: enhanced blunt- or cohesive-end ligation of DNA or deoxyribonucleotides by T4 DNA ligase in polymer solutions. Nucleic Acids Res. 1983 Nov 25;11(22):7853-71.
		Pruitt SC. Expression vectors permitting cDNA cloning and enrichment for specific sequences by hybridization/selection. Gene. 1988 Jun 15;66(1):121-34.
		Rusche JR, Howard-Flanders P. Hexamine cobalt chloride promotes intermolecular ligation of blunt end DNA fragments by T4 DNA ligase. Nucleic Acids Res. 1985 Mar 25;13(6):1997-2008.
		Sartoris S, Cohen EB, Lee JS. A rapid and improved method for generating cDNA libraries in plasmid and phage lambda vectors. Gene. 1987;56(2-3):301-7.
		Schmid A, Cattaneo R, Billeter MA. A procedure for selective full length cDNA cloning of specific RNA species. Nucleic Acids Res. 1987 May 26;15(10):3987-96.
		Spickofsky N, Margolske RF. A highly efficient directional cDNA cloning method utilizing an asymmetrically tailed linker-primer plasmid. Nucleic Acids Res. 1991 Dec;19(25):7105-11.
		Tseng H. DNA cloning without restriction enzyme and ligase. Biotechniques. 1999 Dec;27(6):1240-4.

EXAMINER	DATE CONSIDERED 10/11/00
EXAMINER: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

294876

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT  
PTO FORM 1449**

Atty. Docket No.

**11639/1**

Serial No.

**09/213,834**

Applicant(s)

**Yuri Romantchikov**

Filing Date

**December 17, 1998**

Group

**1631**



**U. S. PATENT DOCUMENTS**

EXAMINER'S INITIALS	PATENT NUMBER	PATENT DATE	NAME	CLASS	SUBCLASS	FILING DATE*

**FOREIGN PATENT DOCUMENTS**

EXAMINER'S INITIALS	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB-CLASS	TRANSLATION	
						YES	NO
<i>AD</i>	WO 98/38296	3 September 1998	PCT	<i>11</i>	<i>1</i>	X	
<i>AD</i>	WO 98/38297	3 September 1998	PCT	<i>11</i>	<i>1</i>	X	
<i>AD</i>	WO 98/38298	3 September 1998	PCT	<i>11</i>	<i>1</i>	X	
<i>AD</i>	WO 98/38299	3 September 1998	PCT	<i>11</i>	<i>1</i>	X	

**OTHER DOCUMENTS**

EXAMINER'S INITIALS	AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.

EXAMINER <i>AD</i>	DATE CONSIDERED <i>11/1/00</i>
EXAMINER: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	